




Linsn Technology



RV908M32

Receiver

Specifications

V3.0

Revision History

Document Version	Hardware Version	Revision Date	Note
V3.0	V10	2020/1	New edition



Overview

RV908H32 is a standardize product for LED screen manufacturer, which is integrated with 12 standard hub75-type connectors and does not require an extra hub card. One card supports up to 384*512pixels and up to 24 sets of RCG data.

Functions and features

1. Single card can support 24 group of RGB data output mode
2. Maximum supports 384X512 pixels (**Please note that there are recommended values depending on the design of LED screen**)
3. Supports brightness calibration pixel by pixel and single-card color space conversion
4. Supports network cable BER test
5. Supports configuration file read back
6. Supports 138 decode, 595 serial decode and so on
7. Realizes high refresh and high gray level effect

Appearance




Official website: www.linsn.com

Add: Floor 15&16, Jiayahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968

No.	1	2	3	4
Description	Gigabit port	Power connector	Power port	Red power indicator
No.	5	6/9	7	8
Description	Green indicator	Hub75 Connector	Self-test extension port	Self-test button

Pinouts




/	R1	1	2	G1	/
/	B1	3	4	GND	GND
/	R2	5	6	G2	/
/	B2	7	8	E	Row selection signal
Row selection signal	A	9	10	B	Row selection signal
Row selection signal	C	11	12	D	Row selection signal
Scan clock	CLK	13	14	LAT	Latch
Display enable	OE	15	16	GND	GND

Official website: www.linsn.com

Add: Floor 15&16, Jiajahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968

Dimension



Specifications

Capacity	384X512 Pixels	
Power	Input Voltage	DC4.5V ~ 5.5V
	Rated power consumption	3W
Working Environment	Temperature	-20°C ~ 70°C
	Humidity	0% ~ 95%
Physical Dimensions	Dimensions	144.0 X 91.2mm
	Weight	99g
Packing Info	Packing	Each card packed with small red foam bag, and 100pcs per carton

Official website: www.linsn.com

Add: Floor 15&16, Jiajiahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968



	Carton Dimension	622.0mm × 465.0mm × 176.0mm
	Carton Weight	12.7 kg

END

Official website: www.linsn.com

Add: Floor 15&16, Jiajahao Business Building, No. 10168, Shennan Blvd,
Nanshan District, Shenzhen

Tel: +86-0755-86183590/ 4008836968